

## FREE-FLOWING NON-IONIC FAT DISPERSION

**Publication number:** JP4502575 (T)

**Publication date:** 1992-05-14

**Inventor(s):**

**Applicant(s):**

**Classification:**

- international: A61K8/30; A61K8/04; A61K8/06; A61K8/34; A61K8/36;  
A61K8/37; A61K8/39; A61K8/60; A61K8/72; A61K8/73;  
A61K9/107; B01F17/00; B01F17/42; B01J13/00; A61K8/30;  
A61K8/04; A61K8/72; A61K9/107; B01F17/00; B01F17/42;  
B01J13/00; (IPC1-7): A61K7/00; A61K9/107; B01J13/00

- European: A61K7/50K8; B01F17/00E2; B01F17/00K

**Application number:** JP19900501042 19900104

**Priority number(s):** DE19893900701 19890112

**Also published as:**

 WO9007976 (A2)

 EP0452344 (A1)

 US5145603 (A)

 DE3900701 (A1)

Abstract not available for JP 4502575 (T)

Abstract of corresponding document: **WO 9007976 (A2)**

Free-flowing aqueous dispersions of non water-soluble aliphatics meltable at 30 to 100 DEG C and fats containing up to 60% of said aliphatics are produced by using as a dispersant up to 1 weight % of non-ionic surface-active ethylene addition products with an HLB value comprised between 12 and 19.6. Preferred dispersions contain 30 to 50 weight % of fatty alcohols and, as a dispersant, the products of the addition of 20 to 100 moles of ethylene oxide to a fatty alcohol with 16 to 22 atoms of C in a quantity of 0.1 to 0.5 weight %, relative to the whole of the dispersion.

.....  
Data supplied from the **esp@cenet** database — Worldwide